KeyPlex[®]DP[®] **Blossom Formula**

Chelated Calcium and Magnesium with Boron, **Enhanced Alpha-Keto Acids** and Humic Acid

GUARANTEED ANALYSIS

Calcium (Ca)	3.00%
3.00% Chelated Calcium (Ca)	
Magnesium (Mg)	2.00%
2.00% Chelated Magnesium (Mg)	
Boron (B)	1.00%

Derived From: Calcium Citrate, Magnesium Citrate, and Boric Acid.

NON-PLANT FOOD INGREDIENTS

Hydrolyzed Yeast	0002028%
Humic Acid	000.2032%
Fulvic Acid	0002032%
Purpose: To enhance nutrient uptake.	
F528	

INFORMATION

formulation of chelated calcium, chelated gallons of water with ground spray equipment. Apply magnesium and boron. It contains enhanced prior to bloom at least once Psanus forton and other alpha-keto acids, which may facilitate utilization, of micronutrients, and increase resistance humic acid, which may enhance soil micronutrient Apply prior to bloom. AERIAL APPLICATION: availability. KeyPlex DP Blossom Formula is Apply recommended rates of KeyPlex DP Blossom formulated for foliar application to prevent and Formula in 15 gallons of water per acre. correct calcium, magnesium and boron deficiencies in plants when used as directed.

COMPATIBILITY

KeyPlex DP Blossom Formula can be used in combination with pesticides. However, in unfamiliar mixtures use a "jar compatibility" test.

DIRECTIONS FOR USE FOLIAR

APPLICATION: Citrus: Apply 2 to 3 quarts of KeyPlex DP Blossom Formula per acre in a minimum of 50 gallons of water. Apply prior to bloom, and no later than early pinhead bud stage. Tropical fruits, stone fruits, pome fruits and nuts: Use 2 to 3 quarts of KeyPlex DP Blossom Formula per acre per application in a minimum of 50 gallons of water. Apply prior to bloom. Tomatoes and other vegetables, grapes, small fruits, leaf crops, lowering ornamental trees and shrubs, and lower crops: Apply 1 to 2 quarts of KeyPlex KeyPlex DP Blossom Formula is a patented DP Blossom Formula per acre in a minimum of 20

to KeyPlex DP Blossom Formula per acre in a minimum minutes. Skin: Wash with soap and water. Remove metabolic and environmental stress. It also contains of 20 gallons of water with ground spray equipment.

CONDITIONS OF SALE

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability of fitness of a particular product expressed or implied extends to the use of this product contrary to label instructions or under abnormal conditions not reasonably foreseeable by the seller, and buyer assumes the risk of any such use.

ANTIDOTE

Ingestion: Do not induce vomiting. Eves: Rinse with copious quantities of water for at least 5 contaminate clothing. Inhalation: Remove patient from contaminated area. In all cases, patient seeing a physician should follow emergency procedures.

WARNING

This product contains Boron. The use of KeyPlex DP Blossom Formula on any crops other than those recommended may result in serious injury to the crop(s).

Net Content: Wt. Per Gallon: 10.8 lb. Lot Number:

Manufactured by: KeyPlex P.O. Box 2515, Winter Park, FL 32790-2515*; Ph: 1-800-682-6500 • KeyPlex.com • KeyPlex is a Registered ™ MADE IN THE USA • Ap.No.KPX01014-FL

KeyPlex® DP® Blossom Formula

Chelated Calcium and Magnesium with Boron, Enhanced Alpha-Keto Acids and Humic Acid

GUARANTEED ANALYSIS

3.00%
2.00%
1.00%

Derived From: Calcium Citrate, Magnesium Citrate, and Boric Acid.

NON-PLANT FOOD INGREDIENTS

Alpha-Keto Acids	X.XX%
Humic Acid	
Fulvic Acid.	X.XX%
Seaweed	X.XX%
Purnose: To enhance nutrient untake	

F528

INFORMATION

KeyPlex DP Blossom Formula is a patented formulation of chelated calcium, chelated magnesium and boron. It contains enhanced alpha-keto acids, which may facilitate utilization of micronutrients, and increase resistance to metabolic and environmental stress. It also contains humic acid, which may enhance soil micronutrient availability. KeyPlex DP Blossom Formula is formulated for foliar application to prevent and correct calcium, magnesium and boron deficiencies in plants when used as directed.

COMPATIBILITY

KeyPlex DP Blossom Formula can be used in combination with pesticides. However, in unfamiliar mixtures use a "jar compatibility" test.

DIRECTIONS FOR USE

FOLIAR APPLICATION: Citrus: Apply 2 to 3 quarts of KeyPlex DP Blossom Formula per acre in a minimum of 50 gallons of water. Apply prior to bloom, and no later than early pinhead bud stage. Tropical fruits, stone fruits, pome fruits and nuts: Use 2 to 3 quarts of KeyPlex DP Blossom Formula per acre per application in a minimum of 50 gallons of water. Apply prior to bloom. Tomatoes and other vegetables, grapes, small fruits, leaf crops, flowering ornamental trees and shrubs, and flower crops: Apply 1 to 2 quarts of KeyPlex DP Blossom Formula per acre in a minimum of 20 gallons of water with ground spray equipment. Apply prior to bloom at least once. Peanuts, cotton, and other agronomic crops: Apply 1 to 2 quarts of KeyPlex DP Blossom Formula per acre in a minimum of 20 gallons of water with ground spray equipment. Apply prior to bloom. AERIAL APPLICATION: Apply recommended rates of KeyPlex DP Blossom Formula in 15 gallons of water per acre.

CONDITIONS OF SALE

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability of fitness of a particular product expressed or implied extends to the use of this product contrary to label instructions or under abnormal conditions not reasonably foreseeable by the seller, and buyer assumes the risk of any such use.

CAUTION

ANTIDOTE

Ingestion: Do not induce vomiting. **Eyes:** Rinse with copious quantities of water for at least 5 minutes. **Skin:** Wash with soap and water. Remove contaminate clothing. **Inhalation:** Remove patient from contaminated area. In all cases, patient seeing a physician should follow emergency procedures.

Manufactured by:
KeyPlex P.O. Box 2515,
Winter Park, FL 32790
Ph: +1-407-682-6500
KeyPlex.com
KeyPlex is a Registered ™
MADE IN THE USA
Ap.No.KPX09213-FL



Scan this QR Code for supporting product information. (MSDS & etc.)

Net Content: Wt. Per Gallon: 10.8 lb. Lot Number:

KeyPlex® DP® Blossom Formula

Chelated Calcium and Magnesium with Boron, Enhanced Alpha-Keto Acids and Humic Acid

GUARANTEED ANALYSIS

Calcium (Ca)	3.00%
3.00% Chelated Calcium (Ca)	
Magnesium (Mg)	2.00%
2.00% Chelated Magnesium (Mg)	
Boron (B)	1.00%

Derived From: Calcium Citrate, Magnesium Citrate, and Boric Acid.

NON-PLANT FOOD INGREDIENTS

Humic Acid	0.10%
Fulvic Acid	0.10%
Seaweed	0.50%
Yeast Extract	0.06%

Purpose: To enhance nutrient uptake. F528

INFORMATION

KeyPlex DP Blossom Formula is a patented formulation of chelated calcium, chelated magnesium and boron. It contains enhanced alpha-keto acids, which may facilitate utilization of micronutrients, and increase resistance to metabolic and environmental stress. It also contains humic acid, which may enhance soil micronutrient availability. KeyPlex DP Blossom Formula is formulated for foliar application to prevent and correct calcium, magnesium and boron deficiencies in plants when used as directed.

COMPATIBILITY

KeyPlex DP Blossom Formula can be used in combination with pesticides. However, in unfamiliar mixtures use a "jar compatibility" test.

DIRECTIONS FOR USE

FOLIAR APPLICATION: Citrus: Apply 2 to 3 quarts of KeyPlex DP Blossom Formula per acre in a minimum of 50 gallons of water. Apply prior to bloom, and no later than early pinhead bud stage. Tropical fruits, stone fruits, pome fruits and nuts: Use 2 to 3 quarts of KeyPlex DP Blossom Formula per acre per application in a minimum of 50 gallons of water. Apply prior to bloom. Tomatoes and other vegetables, grapes, small fruits, leaf crops, flowering ornamental trees and shrubs, and flower crops: Apply 1 to 2 quarts of KeyPlex DP Blossom Formula per acre in a minimum of 20 gallons of water with ground spray equipment. Apply prior to bloom at least once. Peanuts, cotton, and other agronomic crops: Apply 1 to 2 quarts of KeyPlex DP Blossom Formula per acre in a minimum of 20 gallons of water with ground spray equipment. Apply prior to bloom. AERIAL APPLICATION: Apply recommended rates of KeyPlex DP Blossom Formula in 15 gallons of water per acre.

CONDITIONS OF SALE

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability of fitness of a particular product expressed or implied extends to the use of this product contrary to label instructions or under abnormal conditions not reasonably foreseeable by the seller, and buyer assumes the risk of any such use.

CAUTION

ANTIDOTE

Ingestion: Do not induce vomiting. **Eyes:** Rinse with copious quantities of water for at least 5 minutes. **Skin:** Wash with soap and water. Remove contaminate clothing. **Inhalation:** Remove patient from contaminated area. In all cases, patient seeing a physician should follow emergency procedures.

Manufactured by:

KeyPlex P.O. Box 2515,
Winter Park, Fl. 32790

Ph: +1-407-682-6500

KeyPlex.com

KeyPlex is a Registered ™

MADE IN THE USA

Ap. No. KPY092/13-FL



Scan this QR Code for supporting product information. (MSDS & etc.)

Net Content: Wt. Per Gallon: 10.8 lb. Lot Number: